The Red River: Fargo's Water Source

The primary water source for the Fargo Water Treatment Plant is the Red River. The Midtown Dam pools a sufficient depth of water to accommodate a water intake. The city also has alternate sources of water that can be used under extraordinary circumstances. An intake and pumping station on the Sheyenne River south of West Fargo can deliver water via pipeline to the treatment plant. The City of Fargo also owns 52% of the stored water rights to Lake Ashtabula, acquired by funding construction of the Baldhill Dam at Valley City. During a drought, water from this lake can be released into the Sheyenne River to provide water for Fargo's needs. Approximately a 2-year supply of water exists in the lake. This source was used during the dry years of 1976, 1984 and 1988.



The City of Fargo has participated in a number of studies since 1995 to determine the feasibility of bringing Missouri River water into the Red River Valley. Legislation passed by the U. S. Congress in 2000 directed the Bureau of

Reclamation to develop an environmental impact statement (EIS) and a needs and options study that examine the transportation of Missouri River water to the Red River Valley.

The EIS has been completed by the bureau and is expected to be submitted to Congress in 2008 for acceptance. A preferred option for delivering water to the Red River Valley has been selected, and its cost is estimated to be \$660 million. If Congress approves the project, it will most likely be funded in part by the state of North Dakota and the federal government. The local share of the funding will come from water users residing in the 13 easternmost counties in North Dakota.

The goal of the project managers is to begin construction in 2010, with a completion date of 2014.

Water Treatment: The Key to Great Water

Most large cities, like Fargo, use surface water as the community water source. Surface water sources can provide more water volume than localized groundwater wells, and surface water is a renewable resource when compared to groundwater. Surface water quality, however, is variable—highly dependent on weather and other environmental conditions. For this reason, more rigorous water treatment processes are required for surface water sources.

The City of Fargo maintains one of the most sophisticated water treatment facilities in the United States, and consumers should know that the treatment plant has undergone several security upgrades since the September 11, 2001 attack. The chemical and physical processes used at the plant convert a source water with variable characteristics into a consistently safe, soft and good-tasting drinking water.

Water from the Red River is hard, and the water treatment

process centers around softening the water. The water softening process reduces hardness from an average of 17 grains per gallon to a target value of 7 grains per gallon. Some residual hardness in the finished water is beneficial this prevents the water from becoming too corrosive.

After softening, the water is disinfected with ozone gas and then filtered to remove fine particles, additional hardness and dissolved minerals like iron. All EPA standards for water clarity were met for 2007. Finally, chloramine is added before distribution to provide disinfection right up to the tap in Fargo homes.

Save Money on Your Water Bill

Water is our oldest natural resource, and there are simple things you can do to conserve it.

In the Bathroom Install a toilet dam or plastic bottle in your toilet tank. Install a water-efficient showerhead (2.5 gallons or less per minute). Take short showers, and draw less water for baths. When you buy a new toilet, purchase a low-flow model (1.6 gallons or less per flush). Turn off water while brushing teeth and shaving.

In the Kitchen or Laundry Keep a gallon of drinking water in the refrigerator rather than running the tap for cold water. This also makes the water taste better and allows chlorine to aerate out. Run your washing machine with a full load of clothes. Wash with cold water when you can.

Outdoors Use drought-tolerant plants and grasses for landscaping, and reduce grass-covered areas. Cut your grass at least two inches high to shade the roots, making it more drought tolerant; keep your mower sharp for the healthiest grass. Water only in the evening or very early morning to minimize evaporation. For more information about what you can do to conserve water, visit: www.wateruseitwisely.com



The Xeriscape Demonstration Garden (pictured above) is located at the intersection of 13th Avenue South and 5th Street. It has a wide display of perennials, shrubs, grasses, and trees. The overall concept of the garden is to demonstrate species of plants that fit into different water-use zones, such as very low, low and moderate water-use types. Interpretive signs are also arranged throughout the site.

The City of Fargo has a drought management plan that monitors water flow, river levels and the precipitation index. The city has adopted an ordinance that mandates citizen participation during drought activity to reduce the impact to all water users. For more information about the drought management plan visit **www.cityoffargo.com/water**

Observe Fargo's odd/even lawn watering schedule from Memorial Day to Labor Day to help reduce the peak demand. Fargo Water Treatment Plant 435 14th Avenue South Fargo, ND 58103

Fargo Water

Treatment Plant

Bruce P. Grubb

Enterprise Director

Ron Hendricksen

Water Treatment

Plant Superintendent

701-241-1469

ECRWSS Postal Customer

Fargo

City of Fargo Water Quality Report 2007



PRSRT STD US Postage **PAID** Fargo, ND Permit #1159 If you have questions about Fargo drinking water, or if you are aware of non-English speaking individuals who need help with the appropriate language translation, please contact the Water Treatment Plant at 701-241-1469. If you are a large-volume user, please distribute a copy of this Water Quality Report to consumers who do not receive a bill. If you would like opportunities for public participation in decisions that affect water quality, please attend City Commission meetings which are held every other Monday at 5 p.m. You can check the city's web site for exact meeting dates at www.cityoffargo.com/commission

Our public water system, in cooperation with the North Dakota Department of Health, has completed the delineation and contaminant/land use inventory elements of the North Dakota Source Water Protection Program. Based on the information from these elements, the North Dakota Department of Health has determined that our source water is moderately susceptible to potential contaminants. Before the water can be delivered to your home, the City of Fargo must thoroughly test it in certified laboratories that can detect trace amounts of contaminants. Fargo water is tested for nearly 100 different contaminants. Only those detected are listed in the table. **No contaminants were detected that exceeded Environmental**

Protection Agency limits in drinking water.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Fargo is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing the tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead

The City of Fargo's most recent results for lead and copper are listed in the table. Fargo's lead and copper levels have historically been well below the Action Levels. Since historical levels

Key to Terms and Abbreviations in the Table

The **Level Found** can be the highest amount found in the water or the average of all samples analyzed, depending on the regulation. If multiple samples were tested in 2007, the lowest and highest detected values are listed under **Range of Detections**.

The highest level of a substance allowed in drinking water is the Maximum Contaminant Level (MCL), which is set by the EPA. Some contaminants also have MCL goals (MCLGs). This is the level of a substance where there is no known or expected health risk. MCLGs allow for a margin of safety. MCLs are set as close to MCLGs as feasible using the best available water treatment processes.

The MCL for lead and copper is known as the **Action Level (AL)**. This is the concentration which, if exceeded, triggers treatment or other requirements a water system must follow. Ninety percent of all samples tested must be below this concentration.

Turbidity is a measure of water clarity monitored at the Fargo Water Treatment Plant. Certain treatment techniques (TT) are required to reduce the level in the drinking water. Regulations require turbidity to be <0.3 NTU 95% of the time and <1.0 NTU 100% of the time. Substance

Date

Other Definitions:

ppb: parts per billion
ppm: parts per million
pCi/L: picoCuries per liter, a
measure of radioactivity
NTU: Nephelometric Turbidity Units
ND: None detected

have been low, we are on an approved reduced monitoring schedule for lead and copper.

In January of 2007, the City of Fargo began monthly testing of our source water for the presence of Cryptosporidium. Two years of source water monitoring for public water systems is required under the Long-Term 2 Enhance Surface Water Treatment Rule (LT2ESWTR), implemented by the EPA in 2003. Cryptosporidium is a microbial parasite which is found in surface waters throughout the United States. Although filtration removes Cryptosporidium, the most common filtration methods cannot guarantee 100% removal.

The results of the 12 samples analyzed in 2007 indicated an average of 0.027 oocysts per liter in the City of Fargo's source water. Per the guidelines of the LT2ESWTR, a source water with this concentration of Cryptosporidium falls into the lowest of 4 levels of required treatment. As dictated by the rule, most recent sample results currently indicate that the City of Fargo will not at this time be required to implement additional treatment beyond that currently in place. Current treatment processes at the Fargo Water Treatment Plant include multi-stage clarification, filtration and two-stage disinfection. Symptoms of

Cryptosporidium infection may include nausea, diarrhea and abdominal cramps. Most healthy individuals are able to overcome these symptoms within a few weeks. However, immuno-compromised individuals have more difficulty and are at greater risk of developing severe or potentially life threatening illness. Cryptosporidium must be ingested to cause disease and it may be ingested through means other than drinking water. Immuno-compromised individuals are encouraged to consult their doctor regarding the appropriate precautions to take to avoid infection. The sources of drinking water (both tap water and bottled water)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases,



radioactive material, and can pick up substances resulting from the presence of animals or human activity.

2007 Laboratory Testing Results for Fargo Water

Detected Substance	Units of Measure	Date of Analysis	MCL	MCLG	Level Found in Fargo Water	Range of Detections	Typical Source in Drinking	
	positive		present in 5% of	Present in no	Present in 2% of		Naturally present in the enviro	
Total Coliform Bacteria	samples	monthly	monthly samples	samples	samples in October		- · · · · · · · · · · · · · · · · · · ·	
Haloacetic Acids	ppb	9/30/07	60		14	5.56-33.1	By-product of drinking water di	
Total Trihalomethanes	ppb	12/31/07	80		7	0.83-18.1	By-product of drinking water ch	
Uranium	ppb	7/30/03	30		0.754		Erosion of natural depos	
Turbidity	NTU	daily	TT; 1.0 and < 0.3		100% of	Highest Reading:	Soil runoff	
			95% of the time		samples < 0.3	0.13		
Lead	ppb	nnh	08/05	90% of samples must		90% of samples	One sample	Corrosion of home plumbing system
		00005	be <15 ppb (AL)		< 5.0	exceeded 15 ppb	natural deposits	
Copper	ppm	n 08/05	90% of samples must		90% of samples	No samples	Corrosion of home plumbing system	
			be <1.3 ppm (AL)		< 0.11	exceeded 1.3 ppm	natural deposits, leaching from woo	
Bromate	nnh	12/10/07	10	0	8.0	ND 8.0	Erosion of natural deposits, runoff f	
Diomate			10	0	0.0	110-0.0	and from glass and electronics prod	
Barium	ppm	6/21/04	2	2	0.0235	—	Discharge from drilling wastes and m	
Dariani							erosion of natural deposi-	
Fluoride	ppm	opm 6/21/04	4	4	1.25	—	Erosion of natural deposits, wate	
Tuonac							discharge from fertilizer and alumin	
Selenium	ppb	ppb 6/21/04	50	50	1.61	_	Discharge from petroleum, metal r	
Scientum							mines, erosion of natural de	
Nitrate/Nitrite	ppm	pm 4/17/07	10	10	0.88		Erosion of natural deposits, fertil	
(as Nitrogen)							leaching from septic tanks, s	
Chloramine	ppm	2/28/07	4	4	3.5	2.78-3.8	Water additive used to control	
	**							

	lotal	Organic C	Larbon (IOC)	Removal	Performance	Requireme	nts
Highest	Units	Range of					
level Found		Detection		Substan	ce	Date	Highest

SOURCE WATER		Level Found		Detection
Total Alkalinity	2/28/07	278	ppm	184-278
Total Organic				
Carbon (TOC)	4/30/07	11.5	ppm	7.25-11.5

Substance FINISHED WATER	Date	Highest Level Found	Units	Range of Detection
Total Organic Carbon (TOC)	4/30/02	7 6.17	ppm	4.0-6.17

Bromide is being tested in our source water. The ozone disinfection by-product bromatecan be formed in the finished water when bromide is present in the source water.Bromide12/10/070.066ppm0.026-0.066



Total Organic Carbon (TOC) Removal Performance Requirements The Fargo Water Treatment Plant is required to remove total organic carbon (TOC) from the source water. During 2007, the required removal rate was 25% to 30%. Our removal rate varied between 40.0% and 56.8% in 2007.

Contaminants That May be Present in Source Water: *Microbial contaminants*, such as viruses and bacteria, which may

come from sewage treatment plants, septic systems, agricultural

Inorganic contaminants, such as salts and metals, which can be

naturally occurring or result from urban stormwater runoff,

Pesticides and herbicides, which may come from a variety of

Organic chemical contaminants, including synthetic and volatile

organic chemicals, which are by-products of industrial processes

and petroleum production, and can also come from gas stations,

Radioactive contaminants, which can be naturally-ocurring or be

industrial or domestic wastewater discharges, oil and gas

sources such as agriculture, urban stormwater runoff and

the result of oil and gas production and mining activities.

urban stormwater runoff and septic systems.

livestock operations and wildlife.

production, mining or farming.

residential uses.

g Water

onment.

isinfection hlorination sits

ms, erosion of

ms, erosion of od preservative from orchards duction wastes netal refineries, sits er additive, inum factories refineries and eposits lizer runoff, sewage

microbes

What You Need to Know about Drinking Water Regulations

In order to ensure that tap water is safe to drink, the Environmental Protection Agency (EPA) prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least

small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791).



If You Have Special Health Requirements

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).