

In compliance with the International Fire Code (2021 Edition), a permit from the fire department is required for all tents, membrane structures, and/or stage canopies over 400 sf used for the purposes of public assembly. Permits will be issued upon completion of a plan review and an on-site inspection.

The following are necessary to complete a review:

## Tents, membrane structures, and stage canopies:

- 1. A cover letter describing the event the tent will be used for, and the proposed use period (dates of set-up and take-down).
- 2. An affidavit/certificate showing the materials meeting flame propagation performance criteria of NFPA 701 or equivalent (generally called a "certificate of flame resistance").
- 3. A site plan (including distances indicated on the drawing from buildings, vehicles, property lines, powered equipment, road/alley closures, etc.).
- 4. A floor plan (showing and indicating the size of the tent, exits, table/chair set-up, any stages, fencing/barriers, fire extinguisher locations, and any electrical/heating/cooking equipment).
- 5. Documentation on the structural stability of the tent (most likely this would come from the company you are renting the tent from).

## Stage canopies additionally require:

- 6. Construction documents prepared by a registered design professional. For details of what shall be included see IFC Section 3105.5 "Required Documents", sub-section 1.
- 7. Designation of a responsible party in writing with sufficient knowledge of construction documents, manufacturer's recommendations, and the operations plan.
- 8. An operations plan including the manufacturer's operational guidelines, procedures for environmental monitoring, and actions to be taken under specified conditions.

Once plans have been reviewed and accepted, an on-site fire inspection will need to be scheduled as close to the event's operational time as possible.

For questions concerning the permitting process or scheduling a fire inspection please contact the Fire Prevention Bureau at (701)241-1540.